




WEAR PARTS

Pilot Bits, Teeth, Holders and Installation/Removal Tools
for PENCO AUGERS, CORE BARRELS, and DRILL BUCKETS



PENGO AUGER SOIL CHART

Pengo has developed the chart below to help you decide which replacement part will be best suited for your project. The above triangles and color guide will be included with all products where applicable.



1	dirt; peat, organic silts, very loose sand, very soft, swamp, marsh	soil abrasion: low
2	sand; loose, fine sand; loess and medium clay, flood plain soils, lake clay	soil abrasion: medium
3	silt; coarse sand to stiff clay, dense hydraulic fill, compacted fill, residual soils	soil abrasion: high
4	clay; stiff to very stiff clay, glacial till, hard-pan, marls	soil abrasion: low to medium
5	gravel; basalt, very hard silts and clay, weathered laminated rock	soil abrasion: high
6	fracturable rock; caliche, coarse gravel and cobbles; frozen soil	soil abrasion: high
7	non-fracturable rock; granite, basalt, massive limestone	soil abrasion: high

PENGO PARTS - TABLE OF CONTENTS

PILOT BITS

DIRT	3-9
ROCK	10-13
TRIDENT™	14

PILOT BIT DRIVE LUGS and ADAPTERS

DRIVE LUGS.....	15
ADAPTERS	16
BOX THREADS	16

AUGER TEETH



40/50 AGGRESSOR	17
FAS-N-LOK DIRT	18-22
TAPER FIT DIRT	23-24
DRAG-STYLE.....	25
FAS-N-LOCK HOLDERS.....	26
TAPER FIT HOLDERS	26
DRAG-STYLE HOLDERS.....	26
TRIDENT HOLDERS and TEETH.....	27-29
CONICAL TEETH	30-35
CONICAL HOLDERS	36-37
CONICAL PULLERS	38
BUCKET TEETH	39



PILOT BITS DIRT



PILOT BIT | Screw Bits




Fish-tail Pilot Bit Assembly

Includes G5 5/16 Hex Bolt & Nut

Use 140 S or 140-CS Pilot Adapter

ITEM	A	B	C	LBS	PN	WHERE USED	SOIL
SB-25		2.5"		.6	131740	CS Augers	1 2 3
SB-25C		2.5"		.6	132135		4 5
SB-25CXC		2.5"		.9	132758		2 4 5
SB-25HF		2.5"		1.5	132266		2 3 4
SB-25HFTC		2.5"		1.5	132590		2 4 5
SB-30		3"		1.4	131766	CS Augers	1 2 3
SB-30CXC		3"		1.5	131765		2 4 5
SB-30HF		3"		1.6	132359		2 3 4
SB-30HFTC		3"		1.6	133250		2 4 5
SB-35	1.25"	3.5"	4.13"	1.2	133402	CS Augers	1 2 3
SB-35C	1.25"	3.5"	4.13"	1.2	133403		4 5
SB-35HF	1.25"	3.5"	4.13"	2.1	133405		2 3 4
SB-35HFTC	1.25"	3.5"	4.13"	2.8	133406		2 4 5
SB-45		4.5"		3.0	133407	CS Augers	1 2 3
SB-45C		4.5"		3.1	133408		4 5
SB-45HF		4.5"		3.2	133410		2 3 4
SB-45HFTC		4.5"		3.2	133411		2 4 5





IMAGES NOT TO SCALE

PILOT BITS DIRT



PILOT BIT | SB-35SQ Screw Bits



Fish-tail Pilot Bit Assembly
Includes G5 5/16 Hex Bolt & Nut
Uses _ Adapter

ITEM	A	B	C	LBS	PN	WHERE USED	SOIL
SB-35SQ	1.5"	3.69"	6.75"	3.2	136809	CS Augers	1 2 3
SB-35SQC	1.5"	3.69"	6.75"	4.0	136813		4 5
SB-35SQHF	1.5"	3.69"	6.75"	4.0	136816		2 3 4
SB-35SQHFTC	1.5"	3.69"	6.75"	4.0	136814		2 4 5

PILOT BITS | Screw Bits

SB-35 175 PILOT BIT

Dirt Pilot
Fish-tail pilot
Includes G5 5/16
Hex Bolt & Nut
Uses 1.75 Adapter

1 2 3
SB-35 175
LBS 3.9
PN 151318
AG Aggressor
1.75 SQ Adapter
LBS 4.23
PN 151593



IMAGES NOT TO SCALE


PILOT BITS DIRT



PILOT BIT | Screw Bits

SB-50 thru SB-100 SCREW BITS

ITEM	A	B	C	LBS	PN	WHERE USED	SOIL
SB-50		5"	X"	3.4	131728	Utility Augers	1 2 3
SB-50C				3.4	131751		4 5
SB-50HF				3.6	132937		2 3 4
SB-50HFTC				3.1	132624		2 4 5
SB-60		6.25"	4.625"	4.4	132029	Utility Augers	1 2 3
SB-60C		6.25"	4.625"	4.6	132803		4 5
SB-60CXC		6.25"	4.625"	4.6	133252		2 4 5
SB-60HF		6.25"	4.625"	4.6	133251		2 3 4
SB-60HFTC		6.25"	4.625"	5.5	133254		2 4 5
SB-70				4.5	132185	Utility Augers	1 2 3
SB-70C				4.8	132368		4 5
SB-70HF				4.6	133256		2 3 4
SB-70HFTC				4.8	132960		2 4 5
SB-80				5.5	132198	Utility Augers	1 2 3
SB-80C				5.7	132638		4 5
SB-80CXC				6	133258		2 4 5
SB-80HFTC				6	133259		2 4 5
SB-90				5.8	132552	Utility Augers	1 2 3
SB-90CXC				5.8	133261		2 4 5
SB-90HF				5.8	132898		2 3 4
SB-90HFTC				5.8	133271		2 4 5
SB-100				6.3	132363	Utility Augers	1 2 3
SB-100C				6.4	132903		4 5



Fish-tail Pilot Bit Assembly

Includes G5 5/16 Hex Bolt & Nut

Use 140 S or 140-CS Pilot Adapter


IMAGES NOT TO SCALE

PILOT BITS DIRT



PILOT BIT | Fish Tail Pilot Bits

FH-205 SCREW BIT



Fish-tail pilot

Includes G5 3/8-16 Hex Bolt & Nut

Use PA-183 Adapter

ITEM	A	B	C	LBS	PN	WHERE USED	SOIL
FH-205	1.3"	4.25"	4.88"	2.68	157382	Utility Augers	1 2 3
FH-205C	1.3"	4.25"	4.88"	2.8	132260		4 5
FH-205CXC	1.3"	4.25"	4.88"	2.8	132825		2 3 4
FH-205HF	1.3"	4.25"	4.88"	2.8	131725		2 3 4
FH-205HFTC	1.3"	4.25"	4.88"	2.8	133264		2 3 4

PILOT BIT | Two-Fluted Pilot Bits


FH-105 PILOT BIT

Dirt Pilot

Fish-tail pilot with stem

Includes G5 3/8-16
Hex Bolt & Nut

1 2 3
FH-105
LBS 9
PN 131729
Utility Augers



SD-60-175 PILOT BIT

2-Fluted Pilot Bit

Includes G5 5/16
Hex Bolt & Nut

Uses 1.75 Adapter

1 2 3
SD-60 175
LBS 15
PN 135983
Foundation Augers




IMAGES NOT TO SCALE

PILOT BITS DIRT



PILOT BIT | TriFlow® Pilot Bits

TF-350 PILOT BIT



TRIFLOW

CARBIDE TIPPED
(C)CARBIDE
(CXC)HARDFACED
(HF)HARDFACE
CARBIDE
(HFTC)

Three-Fluted Pilot

Includes G5 51/6
Hex Bolt & Nut*Not sold as an assembly,
nuts and bolts sold
separately.Don't Forget the
Nuts & Bolts!3.5" Hex Bolt (6"-9" dia.)
PN 1744474" Hex Bolt (12" plus dia.)
PN 174448Hex Nut Lock
PN 134527


ITEM	A	B	C	D	CUT	LBS	PN	WHERE USED	SOIL
TF-350	1.5"	4.25"	2.69"	7.75"	3.63"	5	135088	PTO, Landscape, and Standard Aggressor® Augers plus TriMax® Augers	
TF-350C	1.5"	4.25"	2.69"	7.75"	3.63"	5.5	135090		
TF-350CXC	1.5"	4.25"	2.69"	7.75"	3.63"	5.8	135091		
TF-35HF	1.5"	4.25"	2.69"	7.75"	3.63"	5.5	135089		
TF-350HFTC	1.5"	4.25"	2.69"	7.75"	3.63"	5.8	135092		

TF-350 Pilot Bit Assembly (includes nut and bolt) PN 137325

TF-600 PILOT BIT

Three-fluted pilot bit
Exclusive design
provides longer life
Uses 141-L Drive Lug

TF-600
LBS 8.5
PN 137357
Utility and Pressure Digger Augers




TF-600 PILOT BIT

Three-fluted pilot bit with
1 3/4" Square Stem
Exclusive design
provides longer life
Uses 1.75 SQ Pilot Bit
Adapter

TF-600 SQ
LBS 16
PN 137331
Utility and Pressure Digger Augers

TF-600 HFTC | PN 137338



TF-600 with a PA-182 Adapter included | PN 137333
For 42" and 48" Dia. Utility Augers | PN 131792

IMAGES NOT TO SCALE

PILOT BITS DIRT




PILOT BIT | TriFlow® Pilot Bits

TF-1000 PILOT BIT

Three-fluted pilot bit
Exclusive design
provides longer life
Uses 2.5 SQ Pilot Bit
Adapter
Includes G5 3/4-10
Hex Bolt & Nut

TF-1000
LBS 43
PN 137348
Foundation Augers



TF-1000 HFTC PILOT BIT

Three-fluted pilot bit
Exclusive design
provides longer life
Uses 2.5 SQ Pilot Bit
Adapter
Includes G5 3/4-10
Hex Bolt & Nut

TF-1000 HFTC
LBS 45
PN 137339
Foundation Augers



TRIFLOW®

TF-600 PILOT BIT

Three-fluted pilot bit
Exclusive design
provides longer life
2 3/8" API

TF-600 API
LBS 42
PN 401202
Foundation Augers



TF-1000 API PILOT BIT

Three-fluted pilot bit
Exclusive design
provides longer life
2 3/8" API

TF-1000 API
LBS 42
PN 137377
Foundation Augers



IMAGES NOT TO SCALE

PILOT BITS DIRT




PILOT BIT | Pilot Bits with Fas-N-Lok® Teeth

P-1650 PILOT BIT

Dirt Pilot

Includes G5 1/2-14
Hex Bolt & NutIncludes 2 - 1851 and
2 -1652 Gage
Fas-N-Lok® Teeth**P-1650****LBS | 22****PN | 131726**

Utility Augers




P-1656 PILOT BIT

Carbide Pilot

Includes G5 1/2-14
Hex Bolt & NutIncludes 2 - 1851 and
2 -1652 Gage
Fas-N-Lok® Teeth**P-1656****LBS | 24****PN | 131727**

Utility Augers




P-2070 PILOT BIT

Dirt Pilot

Includes
G5 1/2-13 UNC X5
Hex Bolt & NutIncludes 4 - 2070
Fas-N-Lok® Teeth**P-2070****LBS | 31.4****PN | 132543**

Foundation Augers




P-2077 PILOT BIT

Carbide Pilot

Includes
G5 1/2-13 UNC X5
Hex Bolt & NutIncludes 4 - 2077
Fas-N-Lok® Teeth**P-2077****LBS | 34****PN | 135049**

Foundation Augers



IMAGES NOT TO SCALE

PILOT BITS STEP ROCK



PILOT BIT | TCH or Tungsten Carbide Head

Tungsten Carbide Head

Includes G5 3/8 -16 X2
3/4" Hex Bolt & Nut

Uses 141-M Pilot Bit
Adapter



ITEM	A	B	C	LBS	PN	WHERE USED	SOIL
250-TCH-171				2.5	132748	GP Step Rock	3 4 5 6
5.0-TCH-171				6	199220	Utility Rock	3 4 5 6
5.5-TCH-171				6.1	199223	Utility Rock	3 4 5 6
8.5-TCH-171				9.75	133269	Utility Rock	3 4 5 6
9.5-TCH-171				11	133270	Utility Rock	3 4 5 6

PILOT BIT | Step Rock Pilot

P-6000 PILOT BIT


2 3/8" API Pilot Bit

4 Step Pilot

Includes G5 3/8 -16 X2
3/4" Hex Bolt & Nut


2 3/8" Box Thread
Adapter

3 4 5 6
9.5-TCH-171
LBS 8
PN 151275
Utility Step Rock Augers



IMAGES NOT TO SCALE

PILOT BITS ROCK



PILOT BIT | Rock Ripper®

ROCK RIPPER

RR-1.75 SQ PILOT BIT

1 3/4" Square Stem

Includes 4 - Strata®
SR76SW
Conical Teeth

Includes G5 1/2 -13 Hex
Bolt & Nut

Uses 1.75 Pilot Bit
Adapter



RR-1.75SQ

LBS | 15

PN | 137208

Severe Rock Ripper®
and Utility Rock
Ripper® Augers

*RRP-1.75 SQ Cast Pilot Bit
Assembly | PN 137204*

RRP-API PILOT BIT

2 3/8" API Screw In Pilot

Cast Pilot Bit

Includes 4 - Strata®
SR76SW
Conical Teeth



RRP-API

LBS | 17

PN | 157406

Severe Rock Ripper®
and Utility Rock
Ripper® Augers

PILOT BIT | Rock Pilot

RCP-6.5 PILOT BIT


1 3/4" Square Stem

Includes 5 - SL-02 Teeth

Center Point 18

Includes G5 1/2 -13 Hex Bolt & Nut

Uses 1.75 Pilot Bit Adapter



RCP-6.5

LBS | 18


PN | 132116

Utility Augers

*RCP-6.5 available with
Center Point 16
Contact Sales for details.*

IMAGES NOT TO SCALE

PILOT BITS ROCK



PILOT BIT | Rock

C31HD-8.5HF PILOT BIT

2 1/2" Square Stem

Includes 4 - Strata® SR100
Conical Teeth

Includes G5 3/4 -10
Pin & Washer

Uses S-250 Pilot Bit
Adapter



C31HD-8.5

LBS | 30

PN | 135913

Foundation Augers



C31HD-8.5 PILOT BIT

2 1/2" Square Stem

Includes 4 - Strata® SR100
Conical Teeth

Includes G5 3/4 -10 Hex
Nut & Bolt

Uses S-250 Pilot Bit
Adapter



C31HD-8.5

LBS | 32

PN | 135939

Foundation Augers



C31HD-8.5 HFCH PILOT BIT

2 1/2" Square Stem

Includes 4 - Strata® SR100
Conical Teeth

Includes G5 3/4 -10 Hex
Nut & Bolt

Uses S-250 Pilot Bit
Adapter



C31HD-8.5 HFCH

LBS | 32


PN | 135912

Foundation Augers



IMAGES NOT TO SCALE

PILOT BITS ROCK



PILOT BIT | Rock

SR-104HF PILOT BIT

2 1/2" Square Stem

Includes 4 - Strata® SR104 Conical Teeth

Includes G5 3/4 -10 Hex Bolt & Nut

Uses S-250 Pilot Bit Adapter



SR-104HF
LBS 30
PN 135971
Foundation Augers

Same as C4-1 Pilot Bit Assembly

C4-1 A2 3/8 API Available | PN 135911


S4-1 HD PILOT BIT

4" Square Stem

Includes 4 - Strata® SR104 Conical Teeth

Includes G 1-8 x 9 1/2 Hex Bolt & Nut

Uses S-400 Pilot Bit Adapter



S4-1HD
LBS 37
PN 1001277
Foundation Augers

B47-10 PILOT BIT

4" Square Stem

Includes 4 - Strata® SR122 Conical Teeth

Includes G 1-8 x 9 1/2 Hex Bolt & Nut

Uses S-400 Pilot Bit Adapter



B47-10
LBS 72
PN 135965
Foundation Augers



IMAGES NOT TO SCALE

PILOT BITS ROCK



PILOT BIT | TRIDENT Series

TRIDENT SR-100 PILOT BIT

2 1/2" Square Stem

Includes 4 - Strata® SR100 Conical Teeth

Includes G5 3/4 -10 Hex Bolt & Nut

Uses S-250 Pilot Bit Adapter




TRIDENT SR-100 PILOT

LBS | 30

PN | 990127

Utility, Foundation and ACIP Augers



TRIDENT NR-100 PILOT BIT

2 1/2" Square Stem

Includes 4 - Triden NR100 Radial Teeth

Includes G5 3/4 -10 Hex Bolt & Nut

Uses S-250 Pilot Bit Adapter




TRIDENT NR-100 PILOT

LBS | 37

PN | 990128

Utility, Foundation and ACIP Augers



TRIDENT NRW-100 PILOT BIT

2 1/2" Square Stem

Includes 4 - Triden NRW100 Non-Rotating Wedge Teeth

Includes G5 3/4 -10 Hex Bolt & Nut

Uses S-250 Pilot Bit Adapter




TRIDENT NRW-100 PILOT

LBS | 72

PN | 990129

Utility, Foundation and ACIP Augers



TRIDENT
PATENT PENDING

IMAGES NOT TO SCALE

PILOT BIT ADAPTERS

DRIVE LUGS | for Pilot Bits

140CS Drive Lug

LBS | 1

PN | 151930

SB-25, SB-30, SB-35,
and SB-45 Pilot Bits




140S Drive Lug

LBS | 1

PN | 151940

SB-25, SB-30, SB-35,
and SB-45 Pilot Bits




SHX-140-S

LBS | 1

PN | 151980

Pilot Bits




MHX-140-S

LBS | 1

PN | 151990

Pilot Bit



141-R Drive Lug

LBS | .7

PN | 151956

SB-25, SB-30,
SB-35, SB-45, and
375-TCH-171 Pilot Bits



141-L Drive Lug

LBS | 1.3

PN | 151970

375 and larger
TCH-171 Pilot Bits



141-MT Drive Lug

LBS | 3.9

PN | 151960

SB-45 Pilot Bits




MHX-141-M

LBS | 1.5

PN | 152000

SB-45 Pilot Bits



LHX-141-L

LBS | 3.5

PN | 152030

SB-60 Pilot Bits




LHX-141-M

LBS | 3.5

PN | 152020

SB-60 Pilot Bits



IMAGES NOT TO SCALE

PILOT BIT ADAPTERS


PILOT ADAPTERS | for Pilot Bits

PA-182-L

LBS | 4.3

PN | 151100

SB-50 and larger,
FH-205, TF-600 Pilot




PA-183-L

LBS | 8

PN | 151110

SB-50 and larger,
FH-205, TF-600 Pilot



SQUARE ADAPTERS | for Pilot Bit with Stems

1.75 Pilot Adapter

LBS | 4.3

PN | 151593

SB-35 1.75 SQ and
TF-600 SQ Pilot Bits




S-250 Pilot Adapter

LBS | 18

PN | 151598


TF-1000, C31HD,
SR-104 and TriDent™
Pilots



S-300 Pilot Adapter

LBS | 18

PN | 151598



S-400 Pilot Adapter

LBS | 43

PN | 135904

B-47 and S4-1 HD
Pilots



BOX THREADS | for API Pilot Bits

Fits Pilots with 2 3/8" API

3 1/2" OD

LBS | 6.1

PN | 132191

RRP-API, P-6000, TF-600
and TF-1000 API Pilots



4" OD

LBS | 7

PN | 151193

RRP-API, P-6000, TF-600
and TF-1000 API Pilots




IMAGES NOT TO SCALE

AUGER TEETH DIRT



DIRT TEETH | for Aggressor® Augers

40/50 DIRT TEETH




40/50

LBS | .5

PN | 134501

BKT QTY | 100

Aggressor® Augers




40/50C

LBS | .6

PN | 134519

BKT QTY | 25

Aggressor® Augers





40/50HFF

LBS | .6

PN | 134802

BKT QTY | 25

Aggressor® Augers



AGGRESSOR® auger teeth are for use in dirt, abrasive soil or fracturable rock, depending on the type of tooth you are using. All types of the 40/50 tooth can be used at either a 40° or 50° angle providing different attack angles based on your drilling condition.

IMAGES NOT TO SCALE

THE NUTS & BOLTS

The 40/50 Teeth require a special carriage bolt and nut to secure the tooth to the AGGRESSOR® auger. These are not included with the teeth.

Carriage Bolt

LBS | .6

PN | 134677

Nut Lock

LBS | .6

PN | 134527



AUGER TEETH DIRT




DIRT TEETH | FAS-N-LOK®

FAS-N-LOK

35 SERIES FAS-N-LOK® TEETH

Use Holders: T35 and T36

Developed in 2008, the only tooth of it's kind, the Fas-N-Lok® tooth comes complete with vulcanized rubber attached to the tooth, providing quick and easy installation.



35
LBS .4
PN 133835
BKT QTY 100
CS, AG Aggressor®, TriMax® Augers

35C
LBS .4
PN 140007
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers

35HF
LBS .4
PN 140008
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers


35HFF
LBS .6
PN 140009
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers

37 SERIES FAS-N-LOK® TEETH

Use Holders: T35 and T36

RIDGE BREAKER FAS-N-LOK® TEETH

Use Holders: T35 and T36



37
LBS .5
PN 140027
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers

37HF
LBS .6
PN 140010
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers

1336L
LBS .6
PN 140016
BKT QTY 100
CS, AG Aggressor®, TriMax® Augers

RB-36L
LBS .6
PN 140021
BKT QTY 100
CS, AG Aggressor®, TriMax® Augers

IMAGES NOT TO SCALE

AUGER TEETH DIRT




DIRT TEETH | FAS-N-LOK®

FAS-N-LOK

5T30 SERIES FAS-N-LOK® TEETH

Use Holders: T35 and T36

Developed in 2008, the only tooth of it's kind, the Fas-N-Lok® tooth comes complete with vulcanized rubber attached to the tooth, providing quick and easy installation.



5T30
LBS .4
PN 140029
BKT QTY 100
CS, AG Aggressor®, TriMax® Augers

5T30C
LBS .4
PN 140012
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers

5T30HF
LBS .4
PN 140014
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers

RB5T30
LBS .6
PN 140013
BKT QTY 100
CS, AG Aggressor®, TriMax® Augers



Pictured Left
TriMax® Auger with
37 Gage and 5T30
Fas-N-Lok® Teeth
drilling in frozen soil.



CHISEL POINT TEETH

Easily penetrates compacted soil, sandstone, hardpan, and caliche. Chisel Point Teeth are to be used in the inside holders of the auger head..

IMAGES NOT TO SCALE

AUGER TEETH DIRT




DIRT TEETH | FAS-N-LOK®

FAS-N-LOK

1650 SERIES FAS-N-LOK® TEETH

Use Holders: 1XS, BT-100, WT-50

Developed in 2008, the only tooth of it's kind, the Fas-N-Lok® tooth comes complete with vulcanized rubber attached to the tooth, providing quick and easy installation.




1650
LBS .5
PN 140200
BKT QTY 50
Utility Augers

1652
LBS 1.1
PN 140020
BKT QTY 50
Utility Augers

1652HF
LBS 1
PN 140086
BKT QTY 50
Utility Augers

1851
LBS .5
PN 140017
BKT QTY 50
Utility Augers

50 PC. BUCKET
LBS 25
PN 850219



1656
LBS .6
PN 140005
BKT QTY 25
Utility Augers

RB56
LBS .6
PN 140022
BKT QTY 25
Utility Augers

1658
LBS .6
PN 140006
BKT QTY 25
Utility Augers

RB58
LBS .6
PN 140015
BKT QTY 25
Utility Augers

25 PC. BUCKET
LBS 15
PN 850204

25 PC. BUCKET
LBS 15
PN 850220

25 PC. BUCKET
LBS 15
PN 850205

25 PC. BUCKET
LBS 15
PN 850221

IMAGES NOT TO SCALE

AUGER TEETH DIRT







DIRT TEETH | FAS-N-LOK®

FAS-N-LOK

2070 SERIES FAS-N-LOK® TEETH

Use Holders: 1ASR, WA70, FA70




2070
LBS 2
PN 140002
BKT QTY 20
Pressure Digger Augers
20 PC. BUCKET
LBS 40
PN 850222

2072
LBS 2.3
PN 140000
BKT QTY 20
Pressure Digger Augers
20 PC. BUCKET
LBS 46
PN 850223

2077
LBS 2.3
PN 140003
BKT QTY 20
Pressure Digger Augers

2078
LBS 2.4
PN 140004
BKT QTY 20
Pressure Digger Augers



2079
LBS .6
PN 140001
BKT QTY 20
Pressure Digger Augers

IMAGES NOT TO SCALE

AUGER TEETH DIRT



DIRT TEETH | FAS-N-LOK®



R55 SERIES FAS-N-LOK® TEETH

Use Holders: B-255, C-355, E-555



7R55
LBS 1
PN 140018
BKT QTY 50
Pressure Digger & Foundation Augers

16R55
LBS 1
PN 140019
BKT QTY 50
Pressure Digger & Foundation Augers

16R51
LBS 1.1
PN 140509
BKT QTY 50
Pressure Digger & Foundation Augers




Released in 1984 the 16R51 Bident Tooth was developed with a thin profile for easy penetration and cross-ribbing of points for added strength to break out compacted soils. The "web" of metal between the ribs carries dirt out of the hole. The above teeth are forged of high alloy steel and heat treated for hardness.

AUGER TEETH TAPER FIT



DIRT TEETH | Taper Fit

Use Holders: WO-1



60
LBS 1
PN 170006
BKT QTY 50
Foundation Augers


70
LBS 1
PN 170020
BKT QTY 50
Foundation Augers

TOOLS | For Install and Removal

Soft Hammer

LBS | 3.5

PN | 137737



The Horseshoe Nail is used to secure taper fit teeth in holder.



Horseshoe Nail

LBS | .4

PN | 137620

Drift Punch

LBS | 1

PN | 137750



DIRT TEETH | Taper Fit

Use Holders: WO-12



80
LBS 2
PN 170008
BKT QTY 25
Foundation Augers

80C
LBS 2
PN 170003
BKT QTY 12
Foundation Augers

90P
LBS 2
PN 134855
BKT QTY 25
Foundation Augers

SZ-90P
LBS 2
PN 134792
BKT QTY 12
Foundation Augers

95P
LBS 2
PN 170015
BKT QTY 25
Foundation Augers


IMAGES NOT TO SCALE

AUGER TEETH TAPER FIT




DIRT TEETH | Taper Fit

Use Holders: WO-5, WO-5HDS, WO-8




132
LBS 2
PN 134406
BKT QTY 20
Foundation Augers
20 PC. BUCKET
LBS 40
PN 850236
900 PC. PALLET
LBS 1800
PN 850237

134
LBS 2
PN 134411
BKT QTY 14
Foundation Augers




201
LBS 2.1
PN 170030
BKT QTY 20
Foundation Augers
20 PC.
LBS 40
PN 850226
1040 PC. Pallet
LBS 2184
PN 850230

211
LBS 2.9
PN 170034
BKT QTY 20
Foundation Augers



SZ210
LBS 2.5
PN 170032
BKT QTY 15
Foundation Augers

SZ211
LBS 2
PN 170039
BKT QTY 15
Foundation Augers




299
LBS 2.8
PN 134659
BKT QTY 20
Foundation Augers

PFC-2
LBS 2
PN 140112
BKT QTY 25
Foundation Augers

20 PC. Bucket	900 PC. Pallet
LBS 56	LBS 2520
PN 850228	PN 850231


IMAGES NOT TO SCALE

AUGER TEETH DRAG-STYLE




CARBIDE TEETH | Drag-Style Teeth

Use Holders: PFC-5H



  
PFC5
LBS 1
PN 140115
BKT QTY 50
Utility Step Augers


Use Holders: H-10



  
CB-10
LBS .8
PN 140055
BKT QTY 100
Utility Step Augers



Use Holders: PFC-5H



  
604C
LBS .55
PN 140065
BKT QTY 50
Utility Step Augers

Use Holders: H-10



  
CU-7
LBS .55
PN 134084
BKT QTY 100
Utility Step Augers

Use Holders: CJ-2



  
SJ-2
LBS .69
PN 850028
BKT QTY 50
Utility Step Augers



P-10 Roll Pin
LBS .1
PN 137610
Drag Teeth

IMAGES NOT TO SCALE

AUGER TEETH HOLDERS



HOLDERS | For FAS-N-LOK®



T35 Angled

LBS | 1

PN | 171221

35 Series, 37 Series,
1136L, RB36C,
5T30 Series, RB5T30



T36 Straight

LBS | .5

PN | 171231

35 Series, 37 Series,
1136L, RB36C,
5T30 Series, RB5T30




1XS

LBS | 1.6

PN | 157010

1650, 1652 Series,
1851, 1656, 1658,
RB56, RB58



BT-100

LBS | .5

PN | 157300

1650, 1652 Series,
1851, 1656, 1658,
RB56, RB58



WT-50

LBS | 2.5

PN | 158115

1650, 1652 Series,
1851, 1656, 1658,
RB56, RB58



1ASR

LBS | 2.4

PN | 156980

2070, 2072, 2077,
2078, 2079



WA-70

LBS | 2

PN | 158120

2070, 2072, 2077,
2078, 2079



FA-70

LBS | 2

PN | 158110

2070, 2072, 2077,
2078, 2079




B-255

LBS | 2.5

PN | 155000

7R55, 7R51, 16R55,
16R51




C-355

LBS | 3

PN | 155010

7R55, 7R51, 16R55,
16R51




E-555

LBS | 2.5

PN | 154990

7R55, 7R51, 16R55,
16R51

HOLDERS | For Taper Fit Teeth



WO-1

LBS | 1.5

PN | 171565

60, 70




WO-12

LBS | 2.8

PN | 171570

80, 80C, 90, SZ90P,
95P



WO-5

LBS | 2.5

PN | 171575

132, 134, 201, 211,
SZ210, SZ211, 299, PFC-2



WO-5HDS

LBS | 3

PN | 171574

132, 134, 201, 211,
SZ210, SZ211, 299, PFC-2



WO-8

LBS | 2.5

PN | 171577

132, 134, 201, 211,
SZ210, SZ211, 299, PFC-2

HOLDERS | For Drag Style Teeth



H-10

LBS | .28

PN | 157025

CB-10, CU-7



PFC-5H

LBS | 1.5

PN | 157027

PFC-5



CJ-2

LBS | 1.5

PN | 134098

SJ-2



1604

LBS | .6

PN | 157000

640C


IMAGES NOT TO SCALE

AUGER TEETH TRIDENT™



HOLDER | TRIDENT™

87 SERIES .87" SHANK SIZE



NRH-87
LBS 1.25
PN 990087
Utility and Foundation Augers
25 PC. Bucket
LBS 31.25
PN NA




- 1** Holder
- 3** TEETH
- 7** drilling conditions

THE MOST VERSATILE TEETH AND HOLDERS ON THE MARKET.


The patent-pending TriDent™ holders are designed to work with three different types of teeth, the Strata® Conical Tooth, a Non-rotating Radial Tooth and a Non-Rotating Wedge tooth.



NRW-87
LBS 1.33
PN 990100
Utility and Foundation Augers



SL-02
LBS .56
PN 850031
Utility and Foundation Augers



NR-87
LBS .99
PN 990094
Utility and Foundation Augers

30 PC. Bucket	1200 PC. Pallet
LBS 56	LBS 1596
PN 850257	PN 850258

65 PC. Bucket	2925 PC. Pallet
LBS 36.4	LBS 1638
PN 850206	PN NA

40 PC. Bucket	1280 PC. Pallet
LBS 39.6	LBS 1267
PN 850251	PN 850252


IMAGES NOT TO SCALE

AUGER TEETH TRIDENT™



PATENT PENDING

HOLDER | TRIDENT™

100 SERIES 1" SHANK SIZE


NRH-100
LBS 2.4
PN 990088
Utility, Foundation and ACIP Augers
15 PC. Bucket
LBS 36
PN NA




- 1** Holder
- 3** TEETH
- 7** drilling conditions

THE MOST VERSATILE TEETH AND HOLDERS ON THE MARKET.


The patent-pending TriDent™ holders are designed to work with three different types of teeth, the Strata® Conical Tooth, a Non-rotating Radial Tooth and a Non-Rotating Wedge tooth.



NRW-100
LBS 2.06
PN 990098
Utility, Foundation and ACIP Augers



SR-100
LBS 1.1
PN 850023
Utility, Foundation and ACIP Augers



NR-100
LBS .99
PN 990092
Utility, Foundation and ACIP Augers

20 PC. Bucket	800 PC. Pallet
LBS 41.2	LBS 1648
PN 850255	PN 850256

35 PC. Bucket	1575 PC. Pallet
LBS 36.75	LBS 1654
PN 850201	PN 850212

35 PC. Bucket	1120 PC. Pallet
LBS 1.35	LBS 1512
PN 850249	PN 850250


IMAGES NOT TO SCALE

AUGER TEETH TRIDENT™



HOLDER | TRIDENT™

122 SERIES STEP SHANK SIZE



NRH-3038
LBS 4.86
PN 990086
Foundation and ACIP Augers
6 PC. Bucket
LBS 29.16
PN NA




- 1** Holder
- 3** TEETH
- 7** drilling conditions

THE MOST VERSATILE TEETH AND HOLDERS ON THE MARKET.

The patent-pending TriDent™ holders are designed to work with three different types of teeth, the Strata® Conical Tooth, a Non-rotating Radial Tooth and a Non-Rotating Wedge tooth.



NRW-122
LBS 4.5
PN 990096
Foundation and ACIP Augers



SR-122
LBS 2.6
PN 850034
Foundation and ACIP Augers



NR-122
LBS 2.46
PN 990089
Foundation and ACIP Augers


6 PC. Bucket	240 PC. Pallet
LBS 27	LBS 1080
PN 850253	PN 850254

10 PC. Bucket	450 PC. Pallet
LBS 26	LBS 1170
PN 850209	PN 850215


15 PC. Bucket	480 PC. Pallet
LBS 36.9	LBS 1181
PN 850247	PN 850248

IMAGES NOT TO SCALE

AUGER TEETH CONICAL




.74" SHANK SIZE



STRATA® SR-74
LBS .65
PN 850027
Foundation and ACIP Augers
65 PC. BUCKET
LBS 42.25
PN 850218
2925 PC. PALLET
LBS 1901
PN NA

S-21
LBS .3
PN 850025
Pressure Digger Augers
65 PC. BUCKET
LBS 19.5
PN NA
2925 PC. BUCKET
LBS 878
PN NA

S-23
LBS .3
PN 850033
Pressure Digger Augers
65 PC. BUCKET
LBS 19.5
PN NA
2925 PC. BUCKET
LBS 878
PN NA



P21-RR
LBS .59
PN 137990
Bolt On Rock Head
75 PC. BUCKET
LBS 29.50
PN NA


The Pengo S21RR Tooth was designed exclusively for the Pengo BoRH® (Bolt-on Rock Head) which converts the Pengo Aggressor® auger into a rock auger in minutes. The stout S21-RR design works well in hard rock and concrete conditions and the enlarged tooth shoulder helps to protect the BoRH® from wear.

BoRH




IMAGES NOT TO SCALE


AUGER TEETH CONICAL




.76" SHANK SIZE




STRATA® SR-76SW
LBS .56
PN 850035
Rock Ripper® Augers
50 PC. BUCKET
LBS 28
PN 850200
3000 PC. PALLET
LBS 1680
PN NA




SRL-07
LBS .5
PN 850009
Rock Ripper® Augers
65 PC. BUCKET
LBS 32.5
PN NA
2925 PC. PALLET
LBS 1463
PN NA



SRL-08
LBS .65
PN 850032
Rock Ripper® Augers
65 PC. BUCKET
LBS 19.5
PN 850203
2925 PC. PALLET
LBS 1901
PN NA




SRL-09
LBS .5
PN 850017
Rock Ripper® Augers
65 PC. BUCKET
LBS 32.5
PN NA
2925 PC. PALLET
LBS 1463
PN NA




SRL-10
LBS .5
PN 850022
Rock Ripper® Augers
65 PC. Bucket
LBS 32.5
PN NA
2925 PC. Pallet
LBS 1463
PN NA

STRATA

DRILLING GRADE CARBIDE




STRATA® Carbide
Grain Structure




Conventional Carbide
Grain Structure

IMAGES NOT TO SCALE

AUGER TEETH CONICAL



.76" SHANK SIZE



SRS-16
LBS .5
PN 134912
Utility Augers
70 PC. BUCKET
LBS 25
PN NA
3000 PC. PALLET
LBS 1500
PN NA



SRZ-16
LBS .4
PN 850001
Utility Augers
45 PC. BUCKET
LBS 18
PN NA
2700 PC. PALLET
LBS 1080
PN NA



SRP-18
LBS .4
PN 850000
Utility Augers
45 PC. BUCKET
LBS 18
PN NA
2700 PC. PALLET
LBS 1080
PN NA

NO IMAGE
AVAILABLE

SRP-19
LBS .5
PN 850004
Utility Augers
45 PC. BUCKET
LBS 22.5
PN NA
2700 PC. PALLET
LBS 1350
PN NA


S-3KBF
LBS .5
PN 850003
Utility Augers

50 PC. Bucket	3000 PC. Pallet
LBS 325	LBS 1500
PN NA	PN NA




IMAGES NOT TO SCALE


AUGER TEETH CONICAL




.87" SHANK SIZE




SL-02
LBS .56
PN 850031
Utility Augers
65 PC. BUCKET
LBS 36.4
PN 850206
2925 PC. PALLET
LBS 1638
PN NA



SM-02
LBS .3
PN 990062
Utility Augers
50 PC. BUCKET
LBS 15
PN NA
2250 PC. PALLET
LBS 675
PN NA




SL-04
LBS .5
PN 850016
Utility Augers
65 PC. BUCKET
LBS 32.5
PN 850202
2925 PC. PALLET
LBS 1463
PN NA



SM-04
LBS .8
PN 850014
Utility Augers
45 PC. BUCKET
LBS 36
PN NA
2700 PC. PALLET
LBS 2160
PN NA

SM-06
LBS .8
PN 850018
Utility Augers

50 PC. Bucket	3000 PC. Pallet
LBS 40	LBS 2400
PN NA	PN NA




SAR-150-87LR
LBS 2.6
PN 850011
Utility Augers

40 PC. Bucket	1800 PC. Pallet
LBS 104	LBS 4680
PN NA	PN NA




IMAGES NOT TO SCALE

AUGER TEETH CONICAL



1" SHANK SIZE



STRATA® SR-100
LBS 1.05
PN 850023
Utility & FND Augers
35 PC. BUCKET
LBS 36.75
PN 850201
1575 PC. PALLET
LBS 1654
PN 850212

S-31
LBS 1.05
PN 850026
Utility & FND Augers
35 PC. BUCKET
LBS 36.75
PN 850208
2100 PC. PALLET
LBS 2205
PN 850214

S-31HD
LBS 1.1
PN 850037
Utility & FND Augers
65 PC. BUCKET
LBS 38.5
PN 850210
1575 PC. PALLET
LBS 1733
PN 850216

SU40-HD
LBS 2.2
PN 850021
Utility & FND Augers
50 PC. BUCKET
LBS 110
PN NA
3000 PC. PALLET
LBS 6600
PN NA

TAKE YOUR DRILLING TO NEW DEPTHS!

STRATA
DRILLING GRADE CARBIDE

FIELD TESTED!

CUSTOMER APPROVED!

COMPARE and SAVE!

Prices recently reduced on our popular SR-100 and SR-104 Conical Teeth!

FREE SHIPPING on pallet orders of STRATA® teeth.


The STRATA® Proprietary Drilling Grade Teeth are Made Especially for the Drilling Industry!

The Improved Grade of Carbide in All Strata Teeth Increases The Life Cycle of The Tooth!


Less Down Time Means Increased Production and Productivity!

IMAGES NOT TO SCALE



AUGER TEETH CONICAL




STEP SHANK SIZE



STRATA
DRILLING GRADE CARBIDE



STRATA
DRILLING GRADE CARBIDE



STRATA® SR-122
LBS 2.6
PN 850034
Foundation Augers
10 PC. BUCKET
LBS 26
PN 850209
450 PC. PALLET
LBS 1170
PN 850215

S-22
LBS 2.6
PN 850039
Foundation Augers
10 PC. BUCKET
LBS 26
PN NA
450 PC. PALLET
LBS 1170
PN 850214


STRATA® SR-104
LBS 2.53
PN 850024
Foundation Augers
15 PC. BUCKET
LBS 37.95
PN 850207
675 PC. PALLET
LBS 1708
PN 850213

S4-1
LBS 2.6
PN 850038
Foundation Augers
15 PC. BUCKET
LBS 39
PN 850211
675 PC. PALLET
LBS 900
PN 850217

	PC3Z
LBS 2.65	
PN 850046	
Foundation Augers	
10 PC. Bucket	450 PC. Pallet
LBS 26.5	LBS 1193
PN NA	PN NA




	STRATA® SR-165
LBS 3	
PN 850048	
Foundation Augers	
1 PC. Bucket	
LBS 3	
PN NA	




STRATA
DRILLING GRADE CARBIDE

IMAGES NOT TO SCALE

AUGER TEETH HOLDERS



HOLDERS | For Conical Teeth




P20 Holder

LBS | .7

PN | 990002

SR-74, S-21, S-23, S-24




P20F Holder

LBS | .9

PN | 990085

SR-74, S-21, S-23, S-24




S20HD Holder

LBS | 1.1

PN | 850007

SR-74, S-21, S-23, S-24




P10 Holder

LBS | .7

PN | 990043

SR-76SW, SRL-07, SRL-08, SRL-09, SRL-10, SRS-16, SRZ-16, SRP-18, SRP-19, S-3KBF




P10F Holder

LBS | .9

PN | 990084

SR-76SW, SRL-07, SRL-08, SRL-09, SRL-10, SRS-16, SRZ-16, SRP-18, SRP-19, S-3KBF



S10HD Holder


LBS | .6

PN | 850006


SR-76SW, SRL-07, SRL-08, SRL-09, SRL-10, SRS-16, SRZ-16, SRP-18, SRP-19, S-3KBF

IMAGES NOT TO SCALE

AUGER TEETH HOLDERS



HOLDERS | For Conical Teeth




P30 Holder

LBS | 2.6

PN | 990001

SR-100, S-31, S-31HD, SU40-HD




P30F Holder

LBS | 1

PN | 990082

SR-100, S-31, S-31HD, SU40-HD




S30H Holder

LBS | 1

PN | 850013

SR-100, S-31, S-31HD, SU40-HD




P87B Holder

LBS | 1

PN | 990029

SL-02, S-387B, SL-04, SM-04, SM-06




P4 Holder

LBS | 3.65

PN | 990003

SR-122, S-22, SR-104, S4-1



B48 Holder

LBS | 1.1

PN | 800072

Concial Tooth

IMAGES NOT TO SCALE

AUGER TEETH PULLERS

BIT PULLER | For Conical Teeth



S20HP Bit Puller

LBS | 4

PN | 850005

SR-74, S-21, S-23, S-24



C123 Bit Puller

LBS | 4

PN | 134091

SRL-07, SRL-08, SRL-09, SRL-10, SRS-16, SRZ-16, SRP-18, SRP-19, S-3KBF, SL-02, S-387BF, SL-04, SM-04, SM-06, SAR-150-87LR



C30HP Bit Puller

LBS | 4

PN | 134090

SR-76SW, SR-100, S-31HD, SU40-HD



BZ-12 Bit Puller

LBS | 3

PN | 850043

SR-122, S-22, SR-104, S4-1, PC3Z, SR-165

IMAGES NOT TO SCALE

AUGER TEETH BUCKET

BUCKET TEETH | X220 ASSEMBLY

ALL COMPONENTS SOLD SEPARATELY

The bucket teeth listed on this page are compatible with our Pengo Foundation Dirt Augers.



X220
LBS 6
PN 210250
Foundation Augers



220 Bucket Adapter
LBS 5.5
PN 210190
Foundation Augers



P160 Flex Pin
LBS .1
PN 210256
X220 Bucket Teeth

BUCKET TEETH | X330 ASSEMBLY

ALL COMPONENTS SOLD SEPARATELY



X330
LBS 12.2
PN 210254
Foundation Augers



330 Bucket Adapter
LBS 5.5
PN 210192
Foundation Augers



P330 Flex Pin
LBS .1
PN 210257
X330 Bucket Teeth

TOOLS | FOR BUCKET TEETH

716 Punch Pin Install Tool

LBS | 3

PN | 210197

X220 Bucket Teeth



PRT 160 Pin Removal Tool

LBS | 3

PN | 210196

X220 Bucket Teeth



PRT 290 Pin Removal Tool

LBS | 3

PN | 210198

X220 Bucket Teeth



IMAGES NOT TO SCALE

